



ASSEMBLY GUIDE: GOCYCLE G2 BELL

Version 1.0



Installation of the Gocycle G2 Bell Assembly



CONTENTS

_Toc371485894

Overview	1
Parts List	1
Tool List	1
1. Assembly.....	2



OVERVIEW

This assembly guide details installation of the Gocycle Bell assembly. If you have any questions, or require any further assistance, please contact techsupport@gocycle.com.

PARTS LIST

To successfully complete the procedure you will require the following parts:



	Part Code	Part Description	Quantity
A	2148	Bell	1
B	2406	Rubber O-Ring	1

TOOL LIST

No tools are required for the assembly of the Bell.



1. ASSEMBLY



1.1. Loop the rubber O-ring over the Bell as shown



1.2. Insert the base of the Bell through the gap between the brake hose and handlebar, as shown.



1.3. Stretch the rubber O-ring over the base of the Bell to secure it in place.



Assembled Bell



1.4. Check that the Bell is orientated such that it can be easily rung whilst riding.

IMPORTANT NOTE: THE ASSEMBLY STEPS MUST BE CARRIED OUT IN ORDER. FAILING TO DO SO MAY RESULT IN DAMAGE TO THE GOCYCLE.

If you have any further queries or comments, please contact Gocycle Technical Support:

techsupport@gocycle.com